
研究方法

Part I.

1. What are the Least Square assumptions? (25%)
2. Using data for the United States from 1929-1940 and 1946-present, estimate consumption function: (25%)

$$(1) C_t = \alpha + \beta Y_t + \gamma i_t + \varepsilon_t \quad \text{where } C_t = \text{Consumption}$$
$$Y_t = \text{Income}$$
$$i_t = \text{Interest rate}$$

Then estimate:

$$(2) C_t = \alpha + \beta Y_t + \gamma i_t + \delta d_t + \varepsilon_t \quad \text{where } d_t = \begin{cases} 0, 1929-1940; \\ 1, \text{otherwise} \end{cases}$$

Econometrist A estimated the four models, the results and the related statistics are shown as the followings:

$$(1) C_t = 621.422 + 0.6969Y_t - 11.065i_t \quad t = 1929\sim 1940$$

(412.104) (0.192) (10.537) standard error
(1.508) (3.632) (-1.05) t~statistic

$$R^2 = 0.7014 \quad \text{SSR}(1) = 88977.1 \quad \text{NOS} = 12$$

$$(2) C_t = 88.956 + 0.893Y_t - 0.2537i_t \quad t = 1946\sim 1977$$

(45.504) (0.023) (0.457) standard error
(1.955) (38.99) (-0.555) t~statistic

$$R^2 = 0.9967 \quad \text{SSR}(2) = 33085.9 \quad \text{NOS} = 32$$

$$(3) C_t = 172.745 + 0.858Y_t - 0.186i_t \quad t = 1929\sim 1940, 1946\sim 1977$$

(46.613) (0.0284) (0.686) standard error
(3.706) (30.234) (0.271) t~statistic

$$R^2 = 0.4938 \quad \text{SSR}(3) = 141016 \quad \text{NOS} = 44$$

$$(4) C_t = 144.978 + 0.8836Y_t - 0.1045i_t - 36.716d_t \quad t = 1929\sim 1940, 1946\sim 1977$$

(52.253) (0.036) (-0.728) (31.72) standard error
(2.775) (245.08) (-0.144) (-1.158) t~statistic

$$R^2 = 0.994 \quad \text{SSR}(4) = 136446 \quad \text{NOS} = 44$$

In the consumption function exercise test the following hypothesis:

- (a) α, β, γ are the same pre- and post-war;
 - (b) β, γ but possibly not α , are the same pre- and post-war;
 - (c) α is the same given that β, γ are the same pre- and post-war significant level = 10%
-

Part II.

Suppose you would like to investigate the issue of: *Why do so many students seem to have behavior and learning problems recently?* Based on this scenario, answer the following questions.

[Quantitative research] (20%)

- a1. Design a quantitative-based research plan, which includes your proposed research procedure, research framework, as well as a detailed description of major data analysis methods.
- a2. Describe and compare “simultaneous multiple regression,” “stepwise multiple regression,” “hierarchical multiple regression,” and “moderated regression” analysis.

[Qualitative research] (30%)

- b1. Design a qualitative-based research plan, which includes your proposed research procedure, research framework (or interview protocol), as well as a detailed description of major data analysis methods.
 - b2. Explain and compare “inductive coding,” “axial coding,” and “theoretical coding.”
 - b3. Describe how Pareto Protocol and Democratic Protocol are used to represent group consensus.
 - b4. Comment on the pros and cons of quantitative and qualitative research methods.
-

TABLE A.4c Upper 10% Points of the F-Distribution

$m \backslash n$	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	39.86	49.50	53.59	55.83	57.24	58.20	58.91	59.44	59.86	60.19	60.71	61.22	61.74	62.00	62.26	62.53	62.79	63.06	63.33
2	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38	9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.47	9.48	9.49
3	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24	5.23	5.22	5.20	5.18	5.18	5.17	5.16	5.15	5.14	5.13
4	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94	3.92	3.90	3.87	3.84	3.83	3.82	3.80	3.79	3.78	3.76
5	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	3.30	3.27	3.24	3.21	3.19	3.17	3.16	3.14	3.12	3.10
6	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	2.94	2.90	2.87	2.84	2.82	2.80	2.78	2.76	2.74	2.72
7	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	2.70	2.67	2.63	2.59	2.58	2.56	2.54	2.51	2.49	2.47
8	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	2.54	2.50	2.46	2.42	2.40	2.38	2.36	2.34	2.32	2.29
9	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44	2.42	2.38	2.34	2.30	2.28	2.25	2.23	2.21	2.18	2.16
10	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32	2.28	2.24	2.20	2.18	2.16	2.13	2.11	2.08	2.06
11	3.23	2.86	2.66	2.54	2.45	2.39	2.34	2.30	2.27	2.25	2.21	2.17	2.12	2.10	2.08	2.05	2.03	2.00	1.97
12	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	2.19	2.15	2.10	2.06	2.04	2.01	1.99	1.96	1.93	1.90
13	3.14	2.76	2.56	2.43	2.35	2.28	2.23	2.20	2.16	2.14	2.10	2.05	2.01	1.98	1.96	1.93	1.90	1.88	1.85
14	3.10	2.73	2.52	2.39	2.31	2.24	2.19	2.15	2.12	2.10	2.05	2.01	1.96	1.94	1.91	1.89	1.86	1.83	1.80
15	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	2.06	2.02	1.97	1.92	1.90	1.87	1.85	1.82	1.79	1.76
16	3.05	2.67	2.46	2.33	2.24	2.18	2.13	2.09	2.06	2.03	1.99	1.94	1.89	1.87	1.84	1.81	1.78	1.75	1.72
17	3.03	2.64	2.44	2.31	2.22	2.15	2.10	2.06	2.03	2.00	1.96	1.91	1.86	1.84	1.81	1.78	1.75	1.72	1.69
18	3.01	2.62	2.42	2.29	2.20	2.13	2.08	2.04	2.00	1.98	1.93	1.89	1.84	1.81	1.78	1.75	1.72	1.69	1.66
19	2.99	2.61	2.40	2.27	2.18	2.11	2.06	2.02	1.98	1.96	1.91	1.86	1.81	1.79	1.76	1.73	1.70	1.67	1.63
20	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94	1.89	1.84	1.79	1.77	1.74	1.71	1.68	1.64	1.61
21	2.96	2.57	2.36	2.23	2.14	2.08	2.02	1.98	1.95	1.92	1.87	1.83	1.78	1.75	1.72	1.69	1.66	1.62	1.59
22	2.95	2.56	2.35	2.22	2.13	2.06	2.01	1.97	1.93	1.90	1.86	1.81	1.76	1.73	1.70	1.67	1.64	1.60	1.57
23	2.94	2.55	2.34	2.21	2.11	2.05	1.99	1.95	1.92	1.89	1.84	1.80	1.74	1.72	1.69	1.66	1.62	1.59	1.55
24	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91	1.88	1.83	1.78	1.73	1.70	1.67	1.64	1.61	1.57	1.53
25	2.92	2.53	2.32	2.18	2.09	2.02	1.97	1.93	1.89	1.87	1.82	1.77	1.72	1.69	1.66	1.63	1.59	1.56	1.52
26	2.91	2.52	2.31	2.17	2.08	2.01	1.96	1.92	1.88	1.86	1.81	1.76	1.71	1.68	1.65	1.61	1.58	1.54	1.50
27	2.90	2.51	2.30	2.17	2.07	2.00	1.95	1.91	1.87	1.85	1.80	1.75	1.70	1.67	1.64	1.60	1.57	1.53	1.49
28	2.89	2.50	2.29	2.16	2.06	2.00	1.94	1.90	1.87	1.84	1.79	1.74	1.69	1.66	1.63	1.59	1.56	1.52	1.48
29	2.89	2.50	2.28	2.15	2.06	1.99	1.93	1.89	1.86	1.83	1.78	1.73	1.68	1.65	1.62	1.58	1.55	1.51	1.47
30	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85	1.82	1.77	1.72	1.67	1.64	1.61	1.57	1.54	1.50	1.46
40	2.84	2.44	2.23	2.09	2.00	1.93	1.87	1.83	1.80	1.76	1.71	1.66	1.61	1.57	1.54	1.51	1.47	1.42	1.38
60	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	1.71	1.66	1.60	1.54	1.51	1.48	1.44	1.40	1.35	1.29
120	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68	1.65	1.60	1.55	1.48	1.45	1.41	1.37	1.32	1.26	1.19
∞	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63	1.60	1.55	1.49	1.42	1.38	1.34	1.30	1.24	1.17	1.00

m = degrees of freedom for the numerator
 n = degrees of freedom for the denominator
 Source: Handbook of Tables for Mathematics, edited by Robert C. West and Samuel M. Selby, 1970. Reprinted with the permission of the CRC Press, Inc.